

Section 43 Environment Protection Act 1993

#### Send completed application to

The Licensing Team **Environment Protection Authority** GPO Box 2607 ADELAIDE SA 5001

#### **Enquiries**

Freecall (outside metro): 1800 623 445 Tel: (08) 8204 2058 or (08) 8204 9107 Email: epalicensing@sa.gov.au Website: www.epa.sa.gov.au

If you are unsure of any requirements of this Renewal Form, contact the EPA Licensing Team

on (08) 8204 2058.

#### **Preamble**

The EPA is South Australia's environmental regulator.

Our environmental goals are:

- ✓ Good quality land
- ✓ Good quality water
- ✓ Good quality air
- ✓ Safe use of radiation
- ✔ Protection from unacceptable noise
- ✓ Sustainable use of resources

Responsible management of prescribed activities through licensing is integral to achieving our environmental goals.

This Renewal form is for the Prescribed Activities licensed by the Environment Protection Authority (EPA).

This form must be completed in full and signed (on the back page) by an authorised person.

A FEE OF \$238 MUST BE SUBMITTED WITH THIS FORM TO ENABLE YOUR APPLICATION TO BE PROCESSED.

This fee value is current to 30 June 2024.

This form should not be used to include a new or additional prescribed activity, or additional site or location. A New Licence Application form must be submitted for all new activities and locations.

The characteristics set out in Parts B & C (Fee Schedules) must be identified. List the activity(ies) and tick the appropriate boxes on Part B and if applicable, Part C (Resource Efficiency Fee) to identify activity and characteristic level.

Further information about your fees is available at: epa.sa.gov.au/business\_and\_industry/licences

#### **NOTE:**

A maximum penalty of up to \$60 000 applies for providing false or misleading information.

#### **PART A: Applicant Details SECTION 1**

1.1 Your current EPA Licence No.

A separate application form is to be completed for each site

1.2	Have any of your licence details changed?
	(refer to your current licence front page to check Licensee Name and Postal Address)
	Yes No
	If No – go to 1.4 If Yes – indicate changed details here as applicable:
	New Licensee name that is to appear on the licence
	<b>Note:</b> If the licensee is a company check if the change is to the name only, i.e. no change of Australian Company Number (ACN).

If a new ACN has been generated you will need to submit a Transfer of Authorisation Application form. If a new person is to be the licence holder you will need to submit a Transfer of Authorisation Application form.

New postal ad	dress for co	nespoi	iderice	
		Р	ostcode:	

#### 1.3 Who is authorised to act on behalf of the Licensee?

a.	Contact name:
	Position:
	Tel:
	Email:
b.	Contact name:
	Position:
	Tel:
	Email:
C.	Contact name:
	Position:
	Tel:
	Email:
d.	Contact name:
	Position:
	Tel:
	Email:
e.	Contact name:
	Position:
	Tel:
	Email:
1.4	Contact person for enquiries relating to this form
	Contact name:
	Position:
	Tel:
	Email:
1.5	Will there be a Resource Recovery process?  Are you seeking approval as a Resources Recovery Facility, i.e. a facility to sort and divert waste direct to landfill, under Division 2 of the Environment Protection (Waste Resources) Policy 2010?  Yes No  If Yes, please also complete the Resource Recovery Facility form that is available at: epa.sa.gov.au/business_and_industry/payment_and_
	forms

#### **SECTION 2:**

### **Transport of Waste**

If Prescribed Activity 3(6) is the only activity you are undertaking, either:

- · complete this form in full, or
- complete and lodge the dedicated EPA Waste Transport Renewal Application form available at:
   epa.sa.gov.au/business\_and\_industry/payment\_and\_forms

# 2.1 What types of waste do you, or do you intend to transport? (please tick)

Solid	Category
Omestic (on behalf of Council)	В
Contaminated soil	В
Medical	Α
Transport of medical waste not exceeding 40 litres at any one time	ng
Transport of medical waste exceeding 40 litres at any one time	
Asbestos – friable	Α
Asbestos – non friable	Α
Solid waste (from any commercial or industr premises or teaching/research institution – other than building or demolition waste)	ial B
Other (please specify)	_
	0-1
Liquid	Category
Grease trap/vegetable	Α
Septic tank effluent	В
Water/oil mixtures	Α
Inert sludge/wool scouring sludge	Α
Water-based paint sludge	Α
PCBs, HCBs, OCPs, etc	Α
Waste oil	Α
Acids	Α
Alkalis	Α
Organic solvents	Α
Other (please specify)	-

2.2 From which of the following premises will you collect waste?	SECTION 3:
Industrial premises	Additional Information
Commercial premises	
Teaching or research institutions	
Hospitals	
Dental, medical or veterinary clinics	
Other (please specify)	
Curior (product specify)	
2.3 Do you intend to transport waste into, out of or across South Australian borders?	
Yes No	SECTION 4:
les Mu	Payment
2.4 Specify vehicles to be used for transport of waste	4.1 Application fee
(see 2.1 for category reference)	A fee of \$238 must be submitted with this form to enable
Category A	your Application to be processed.
For transport of 40 litres or less of medical waste per trip	This fee value is current to 30 June 2024.
Make & reg no	4.2 Payment by mail  Make cheques or money orders payable to Environment
Make & reg no	Protection Authority and crossed 'Not Negotiable'.  Do not include bank notes or coins. Mail your payment to:
Make & reg no	EPA GPO Box 2607 ADELAIDE SA 5001.
Make & reg no	4.3 Payment by card
Make & reg no	Visa Mastercard
Make & reg no	Card number
For any other Category A waste	CVV (last 3 digits)
Make & reg no	
Make & reg no	Expiry date
Make & reg no	Cardholder's name
Make & reg no	Cardholder's signature
Make & reg no	Amount of card payment \$
Make & reg no	Should your Application be granted, an invoice for payment
Make a reg to	of the annual licence fee will be sent to you.
Category B	
For any Category B waste	SECTION 5:
Make & reg no	Attachments
Make & reg no	Your application cannot be processed until the
Make & reg no	relevant information has been provided as listed below. Please tick the attachments you have supplied.
Make & reg no	For Bodies Corporate – Australian Securities
Make & reg no	and Investments Commission registered or historical
Make & reg no	company extract (applies only to bodies corporate)
If the space provided is insufficient to list all your vehicles, include the extra details in 'Additional Information' in	<ul> <li>Management Plan</li> <li>(if applicable – hazardous materials management)</li> </ul>
Section 3 or attach a separate page.	Other (energify in Section 3)

Other (specify in Section 3)

### Part B: Fee Schedules Environment Management Fee

You need to tick all activities that you are undertaking (refer to your current licence for verification). This information will be used to determine your annual licence fee. While only the highest environment management fee relevant to all activities carried out on a site will be charged for that site, all activities will be included in your licence. Waste transport, dredging and earthworks drainage will be charged separately, if applicable.

Regulation reference	Prescribed activity	Characteristics Fee units pay	able
1.1	chemical storage and warehousing facilities	exceeding 200 litres (liquid) or bulk storage where the storage capacity > 1000 cubic metres	3
1.2.a.i	chemical works – inorganic	processing capacity > 100 tonnes per year	
		soda ash works	80
		uranium works, where the main or a significant co-product is uranium	20
		other (i.e. not soda ash or uranium works)	8
1.2.a.ii	chemical works – organic	processing capacity > 100 tonnes per year	
		emitting 100 tonnes or more of volatile organic compounds (VOC) per year	12
		emitting less than 100 tonnes of VOC per year	8
1.2.b	chemical works – salt production	processing capacity > 5000 tonnes per year	3
1.2.c	chemical works – hydrogen production	production capacity > 100 tonnes per year	8
1.3	coke works		80
1.5.a	hydrocarbon storage	storage capacity > 2000 cubic metres	10
1.5.b	hydrocarbon production works	production rate > 20 tonnes per hour	
		1000 tonnes or more of VOC emissions per year	80
		500 tonnes or more but less than 1000 tonnes of VOC emissions per year	50
		emitting less than 500 tonnes of VOC emissions per year	8
1.5c	petrol stations – retail sales	less than 0.5ML of petroleum products sold per year	0
		0.5 to 1.5ML of petroleum products sold per year	1.5
		> 1.5ML of petroleum products sold per year	3
1.6	timber preservation works	other than light organic solvent preservation (LOSP), e.g. preservatives containing heavy metals or creosote	50
		LOSP, boron and other light organic solvents recognised by the EPA to present lower environmental risk	8
used and for other light org	monitoring whether groundwater is ganic solvents. <b>Do you wish to app</b> No <b>If Yes</b> , provide reasons	drop a fee level (from 50 to 20 only) for onsite containment of the preservative contaminated by a preservative used. The discount does not apply to LOSP, bord by for this fee reduction?  The here (including how your operation meets the criteria) or as an attached docume the EPA website: www.epa.sa.gov.au/business and industry/licence fee system	n or
		and El 77 Website. WWW.epa.oa.gov.aa/basiness_and_inaastiy/iisonos_iso_system	_ _ _ _
	abrasive blasting	mobile	3
		other (blast booth > 5 cubic metres at a fixed site)	2
2.2	hot mix asphalt preparation	mobile	12
		other (fixed site)	8

Regulation reference	Prescribed activity	Characteristics	Fee units payable
2.3	cement works	emitting 100 tonnes or more per year of particulates	50
		emitting less than 100 tonnes per year of particulates	20
2.4	ceramic works	production capacity > 100 tonnes per year	
		glass works emitting 25 tonnes per year or more of particulate	s 50
		brick works emitting 2 tonnes per year or more of fluorides	12
		other brick works or glass works	8
	t. b. t. b	other (e.g. pottery)	2
2.5	concrete batching works	mobile or otherwise, production capacity > 0.5 cubic metres per pro-	oduction cycle 2
2.6	drum reconditioning or treatment works		3
2.7	ferrous and non-ferrous metal melting	metal melting capacity > 500 kilograms per cycle more than 2500 kilograms VOC emissions per year and does not meet EPA requirements for odour.  Refer: Environment Protection (Air Quality) Policy 2016	50
		more than 2500 kilograms VOC emissions per year and meets EPA requirements for odour.  Refer: Environment Protection (Air Quality) Policy 2016	12
		2500 kilograms per year or less of VOC emissions	4
2.8	metallurgical works	2000 kilogramo per year er rece er mediene	80
2.9	mineral works		12
2.10	pulp or paper works	production capacity > 100 tonnes per year	80
2.12.a	surface coating works  – metal finishing	producing > 5000 litres of effluent per day	8
2.12.b	surface coating works	1000 kilograms per year or more of zinc emissions to air	12
	<ul> <li>hot dip galvanising</li> </ul>	100 kilograms or more but less than 1000 kilograms of zinc er	missions to air 8
		less than 100 kilograms of zinc emissions to air	4
2.12.c	surface coating works – spray painting or powder coating	capacity > 100 litres of paint per day or 10 kilograms of powder per	r day 3
2.13	timber processing works	processing capacity > 4000 cubic metres per year	
		emitting 50 tonnes per year or more of particulates	12
		emitting less than 50 tonnes per year of particulates	3
2.14	maritime construction works	capacity to construct structures and mass > 80 tonnes	3
2.15	vehicle production	production capacity > 2000 motor vehicles per year	20
3.1.a & b	waste recovery facility	for the preliminary treatment of > 100 tonnes or 100 kilolitres of wareceived per year	ste
	more than 200 000 tonnes	s per year received	77
	more than 100 000 tonnes	but not more than 200 000 tonnes per year received	38
	more than 50 000 tonnes b	out not more than 100 000 tonnes per year received	20
	more than 20 000 tonnes l	but not more than 50 000 tonnes per year received	12
	more than 5000 tonnes bu	ut not more than 20 000 tonnes per year received	5
	more than 2000 tonnes bu	ut not more than 5000 tonnes per year received	3
	more than 1000 tonnes but	ut not more than 2000 tonnes per year received	2
	1000 tonnes per year or le	ess received	1

Regulation reference	Prescribed activity	Characteristics Fee units paya	able
reduction by means manures 8	if they incorporate a system for property, for example, of a suitable lining at to 3 fee units; and for any other No If Yes, provide reason	green waste only and distance to groundwater is 15 metres or less green waste only and distance to groundwater is greater than 15 metres animal manures (with or without green waste) only and distance to groundwater 15 metres or less animal manures (with or without green waste) only and distance to groundwater greater than 15 metres other waste (whether or not in addition to green waste or animal manures) and distance to groundwater less than 15 metres other waste (whether or not in addition to green waste or animal manures) and distance to groundwater less than 15 metres other waste (whether or not in addition to green waste or animal manures) groundwater greater than 15 metres ance to groundwater is 15 metres or less, Licensees may be entitled to a fee level reventing the contamination of groundwater by chemical substances in the compost under the compost. The level reductions are: green waste 4 to 2 fee units; animal kind of waste 12 to 4 fee units. <b>Do you wish to apply for this fee reduction?</b> Is here (including how your operation meets the criteria) or as an attached document le at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_syst	ıt.
3.2.b	scrap metal treatment works	scrap metals are melted or disintegrated	- - - - - - - 3
3.2.b 3.2.c	tyre waste treatment works	> 5 tonnes of tyre waste per year	
		more than 200 000 tonnes per year received more than 100 000 tonnes but not more than 200 000 tonnes per year received more than 50 000 tonnes but not more than 100 000 tonnes per year received more than 20 000 tonnes but not more than 50 000 tonnes per year received more than 5000 tonnes but not more than 20 000 tonnes per year received more than 2000 tonnes but not more than 5000 tonnes per year received more than 1000 tonnes but not more than 2000 tonnes per year received 1000 tonnes per year or less received	
3.2.d	waste lead acid battery treatment works	> 500 batteries per year	1
3.2.e	any other waste reprocessing facility	> 100 tonnes or 100 kilolitres of waste treated per year  more than 200 000 tonnes per year received  more than 100 000 tonnes but not more than 200 000 tonnes per year received  more than 50 000 tonnes but not more than 100 000 tonnes per year received  more than 20 000 tonnes but not more than 50 000 tonnes per year received  more than 5000 tonnes but not more than 20 000 tonnes per year received  more than 2000 tonnes but not more than 5000 tonnes per year received  more than 1000 tonnes but not more than 2000 tonnes per year received  1000 tonnes per year or less received	77 38 20 12 5 3 2

	Prescribed activity	Characteristics Fee units pay	abl
3.3.a	landfill depot - disposal to land	more than 200 000 tonnes per year received inert only	
		more than 100 000 tonnes but not more than 200 000 tonnes per year received inert only	
		more than 50 000 tonnes but not more than 100 000 tonnes per year received inert only	
		more than 20 000 tonnes but not more than 50 000 tonnes per year received inert only	
		more than 5000 tonnes but not more than 20 000 tonnes per year received inert only	
		more than 2000 tonnes but not more than 5000 tonnes per year received inert only	
		more than 1000 tonnes but not more than 2000 tonnes per year received inert only	
		1000 tonnes per year or less received	
		inert only	
		closed	
Yes Additiona	reduction?  No If Yes, provide reasons	20 to 12, 12 to 8, 8 to 4, 4 to 3, 3 to 2 and 2 to 1 fee units. <b>Do you wish to apply 1</b> here (including how your operation meets the criteria) or as an attached document at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_systems.	nt.
3.3.b	liquid waste depot	more than 100 000 KL (kilolitres)	
3.3.b	liquid waste depot	disposal to sewer or other offsite licensed wastewater treatment works more than 50 000 KL but not more than 100 000 KL per year received	5
3.3.b	liquid waste depot	disposal to sewer or other offsite licensed wastewater treatment works  more than 50 000 KL but not more than 100 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 20 000 KL but not more than 50 000 KL per year received	5 2 2
3.3.b	liquid waste depot	disposal to sewer or other offsite licensed wastewater treatment works  more than 50 000 KL but not more than 100 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 20 000 KL but not more than 50 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 5000 KL but not more than 20 000 KL per year received	5 2 2 1
3.3.b	liquid waste depot	disposal to sewer or other offsite licensed wastewater treatment works  more than 50 000 KL but not more than 100 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 20 000 KL but not more than 50 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 5000 KL but not more than 20 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 2000 KL but not more than 5000 KL per year received	5 5 2 2 1
3.3.b	liquid waste depot	disposal to sewer or other offsite licensed wastewater treatment works  more than 50 000 KL but not more than 100 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 20 000 KL but not more than 50 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 5000 KL but not more than 20 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 2000 KL but not more than 5000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 1000 KL but not more than 2000 KL per year received	5 5 2 2 1 1
3.3.b	liquid waste depot	disposal to sewer or other offsite licensed wastewater treatment works  more than 50 000 KL but not more than 100 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 20 000 KL but not more than 50 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 5000 KL but not more than 20 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 2000 KL but not more than 5000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works	- - - - - 5 5 2 2 1 1
3.3.b	liquid waste depot	disposal to sewer or other offsite licensed wastewater treatment works  more than 50 000 KL but not more than 100 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 20 000 KL but not more than 50 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 5000 KL but not more than 20 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 2000 KL but not more than 5000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 1000 KL but not more than 2000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  1000 KL or less per year received	5 5 2 2 1 1
		disposal to sewer or other offsite licensed wastewater treatment works  more than 50 000 KL but not more than 100 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 20 000 KL but not more than 50 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 5000 KL but not more than 20 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 2000 KL but not more than 5000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 1000 KL but not more than 2000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  1000 KL or less per year received disposal to sewer or other offsite licensed wastewater treatment works  chemical waste	5 5 2 2 1 1
		disposal to sewer or other offsite licensed wastewater treatment works  more than 50 000 KL but not more than 100 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 20 000 KL but not more than 50 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 5000 KL but not more than 20 000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 2000 KL but not more than 5000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  more than 1000 KL but not more than 2000 KL per year received disposal to sewer or other offsite licensed wastewater treatment works  1000 KL or less per year received disposal to sewer or other offsite licensed wastewater treatment works	5 5 2 2 1 1 1

Regulation reference	Prescribed activity	Characteristics Fee units pa	yable
For waste evaporate Do you von Yes	wastewater treatment works  ewater treatment works, licensees ion lagoon. The level reductions ar  wish to apply for this fee reductions of the second secon	located within the Mount Lofty Ranges Water Protection Area with a capacity to treat > 5 megalitres  500 megalitres or more of wastewater per year  100 megalitres or more but less than 500 megalitres of wastewater per year  50 megalitres or more but less than 100 megalitres of wastewater per year  20 megalitres or more but less than 50 megalitres of wastewater per year  less than 20 megalitres per year of wastewater  may drop a fee level if wastewater is sustainably reused or disposed of to an re 80 to 50, 50 to 20, 12 to 8, 8 to 4 and 4 to 3 fee units.	80 ar 50 12 8 4
	wastewater treatment works	located outside the Mount Lofty Ranges Water Protection Area with a capacity to treat > 50 megalitres	
		<ul><li>1000 megalitres or more of wastewater per year</li><li>500 megalitres or more but less than 1000 megalitres of wastewater per year</li></ul>	80 ar 50
		100 megalitres or more but less than 500 megalitres of wastewater per year	
		50 megalitres or more but less than 100 megalitres of wastewater per year	
		20 megalitres or more but less than 50 megalitres of wastewater per year	4
		less than 20 megalitres per year of wastewater	3
Do you v	oration lagoon. The level reductions wish to apply for this fee reducti		nt
Additiona		is (including how your operation meets the criteria) here or as an attached docume le at the EPA website: epa.sa.gov.au/business_and_industry/licence_fee_system	—
3.5.a	activities producing listed waste	s medical waste only	1
-		more than 250 tonnes per year	8
		more than 100 tonnes but not more than 250 tonnes per year	3
		more than 5 tonnes but not more than 100 tonnes per year	2
		5 tonnes or less per year	1

Regulation reference	Prescribed activity	Characteristics Fee units pay	able
3.5.b	reception or storage of listed waste	more than 200 000 tonnes per year received more than 100 000 tonnes but not more than 200 000 tonnes per year received more than 50 000 tonnes but not more than 100 000 tonnes per year received more than 20 000 tonnes but not more than 50 000 tonnes per year received more than 5000 tonnes but not more than 20 000 tonnes per year received more than 2000 tonnes but not more than 5000 tonnes per year received more than 1000 tonnes but not more than 2000 tonnes per year received 1000 tonnes per year or less received	
3.5.c	treatment of listed waste	more than 200 000 tonnes per year received more than 100 000 tonnes but not more than 200 000 tonnes per year received more than 50 000 tonnes but not more than 100 000 tonnes per year received more than 20 000 tonnes but not more than 50 000 tonnes per year received more than 5000 tonnes but not more than 20 000 tonnes per year received more than 2000 tonnes but not more than 5000 tonnes per year received more than 1000 tonnes but not more than 2000 tonnes per year received 1000 tonnes per year or less received	
3.6.a	waste transport business (Category A) per vehicle Refer to Section 2 on page 2	transport of 40 litres or less of medical waste per trip transport of waste excluding the transport of 40 litres or less of medical waste per trip	0.3
3.6.b	waste transport business (Category B) per vehicle Refer to Section 2 on page 2		0.9
4.1	Brukunga mine site		30
4.2.a	discharge during licence period of stormwater to underground aquifers by means other than a stormwater drainage system from land or premises situated in the area of the City of Mount Gambie		12
4.2.b	discharge during the licence period of stormwater to underground aquifers from a stormwater drainage system situated in the area of the City of Mount Gambier	stormwater drainage system > one hectare	12
4.2.c	discharge of stormwater	stormwater drainage system > one hectare	
	to underground aquifers in	50 megalitres or more per year discharged to aquifer	4
	Metropolitan Adelaide	10 megalitres and up to 50 megalitres per year discharged to aquifer  less than 10 megalitres per year discharged to aquifer	3
5.1	cattle feedlots	average of 500 cattle per day or in a Water Protection Area, 200 cattle per day	4

facility located within South East Water Protection Area and volume of effluent is less than 20 megalitres per year  facility located outside South East Water Protection Area and volume of effluent is 20 megalitres or more per year  facility located outside South East Water Protection Area and volume of effluent is less than 20 megalitres per year  5.4 piggeries  > 6500 SPUs at any one time or > 650 SPUs in a Water Protection Area  more than 200 000 kilograms per year of nitrogen production  more than 100 000 kilograms but not more than 200 000 kilograms per year of nitrogen production  more than 50 000 kilograms but not more than 100 000 kilograms per year of nitrogen production  more than 50 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  ### Initrogen production from piggeries is not measured, the recommended correlation is 10 kilograms of nitrogen produced per year per standard pig unit (SPU).    5.5 poultry farm comprising a broiler farm    Where poultry shed/structure total area exceeds:   13 500m² or more but less than 27 000m²   27 000m² or more but less than 54 000m²   54 000m² or more   6.1.a & b meat processing works	Regulation reference	Prescribed activity	Characteristics Fee units p	payable
is 20 megalitres or more per year facility located within South East Water Protection Area and volume of effluent is less than 20 megalitres per year facility located outside South East Water Protection Area and volume of effluent is 20 megalitres per year facility located outside South East Water Protection Area and volume of effluent is 20 megalitres per year facility located outside South East Water Protection Area and volume of effluent is 20 megalitres per year facility located outside South East Water Protection Area and volume of effluent is 20 megalitres or more or > 850 SPUs in a Water Protection Area more than 200 000 kilograms per year of nitrogen production more than 100 000 kilograms but not more than 200 000 kilograms per year of nitrogen production more than 20 000 kilograms but not more than 100 000 kilograms per year of nitrogen production more than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  If nitrogen production from piggeries is not measured, the recommended correlation is 10 kilograms of nitrogen produced per year per standard pig unit (SPU).  5.5 poultry farm comprising a broiler farm  If some in the standard pig unit (SPU).  5.6 poultry farm comprising a broiler farm  If some in the standard pig unit (SPU).  5.7 poultry farm comprising a broiler farm  If some in the standard pig unit (SPU).  5.8 poultry farm comprising a broiler farm  If some in the standard pig unit (SPU).  5.9 poultry farm comprising a broiler farm  If some in the standard pig unit (SPU).  5.1 poultry farm comprising a broiler farm  If some in the standard pig unit (SPU).  5.2 poultry farm comprising a broiler farm  If some in the standard pig unit (SPU).  5.9 poultry farm comprising a broiler farm  If some in the standard pig unit (SPU).  5.9 poultry farm comprising a broiler farm  If some in the standard pig unit (SPU).  5.9 poultry farm comprising a broiler farm  If some in the standard pig unit (SPU).  5.9 poultry farm comprising a broiler farm  If some in the standard pig u	5.3	saleyards	> 50 000 sheep equivalents per year	
is less than 20 megalitres per year facility located outside South East Water Protection Area and volume of effluent is 20 megalitres or more per year facility located outside South East Water Protection Area and volume of effluent is less than 20 megalitres per year  5.4 piggeries  > 6500 SPUs at any one time or > 650 SPUs in a Water Protection Area more than 200 000 kilograms per year of nitrogen production more than 100 000 kilograms but not more than 200 000 kilograms per year of nitrogen production more than 50 000 kilograms but not more than 100 000 kilograms per year of nitrogen production more than 200 000 kilograms but not more than 100 000 kilograms per year of nitrogen production  ### Introgen production from piggeries is not measured, the recommended correlation is 10 kilograms of nitrogen produced per year per standard pig unit (SPU).    5.5 poultry farm comprising   a broiler farm				uent 12
facility located outside South East Water Protection Area and volume of effluent is 20 megalitres or more per year facility located outside South East Water Protection Area and volume of effluent is less than 20 megalitres per year  5.4 piggeries   5.600 SPUs at any one time or > 650 SPUs in a Water Protection Area more than 200 000 kilograms per year of nitrogen production more than 100 000 kilograms but not more than 200 000 kilograms per year of nitrogen production more than 50 000 kilograms but not more than 100 000 kilograms per year of nitrogen production more than 200 000 kilograms but not more than 50 000 kilograms per year of nitrogen production more than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production from piggeries is not measured, the recommended correlation is 10 kilograms of nitrogen produced per year per standard pig unit (SPU).  5.5 poutity farm comprising a broiler farm   5.6 poutity farm comprising a broiler farm   6.1.a & b meat processing works   6.1.a & b				uent 4
facility located outside South East Water Protection Area and volume of effluent is less than 20 megalitres per year   5.4   piggeries   > 6500 SPUs at any one time or > 650 SPUs in a Water Protection Area more than 200 000 kilograms per year of nitrogen production more than 100 000 kilograms but not more than 200 000 kilograms per year of nitrogen production more than 50 000 kilograms but not more than 100 000 kilograms per year of nitrogen production more than 50 000 kilograms but not more than 50 000 kilograms per year of nitrogen production more than 20 000 kilograms per year of nitrogen production more than 20 000 kilograms per year of nitrogen production if introgen production from piggeries is not measured, the recommended correlation is 10 kilograms of nitrogen produced per year per standard pig unit (SPU).   5.5   poultry farm comprising a broiler farm   where poultry shed/structure total area exceeds:			facility located outside South East Water Protection Area and volume of eff	fluent 8
more than 200 000 kilograms per year of nitrogen production more than 100 000 kilograms but not more than 200 000 kilograms per year of nitrogen production more than 50 000 kilograms but not more than 100 000 kilograms per year of nitrogen production more than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  More than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  More than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  More than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  More than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  More than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  More than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  More than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  More than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  More than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  More than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  More all wslewids ter per year of little are a exceeds:  More poultry shed/structure total area exceeds:  More po			facility located outside South East Water Protection Area and volume of eff	fluent 3
more than 100 000 kilograms but not more than 200 000 kilograms per year of nitrogen production more than 50 000 kilograms but not more than 50 000 kilograms per year of nitrogen production more than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  If nitrogen production from piggeries is not measured, the recommended correlation is 10 kilograms of nitrogen produced per year per standard pig unit (SPU).  5.5 poultry farm comprising a broilier farm where poultry shed/structure total area exceeds: 13 500m² or more but less than 27 000m² 27 000m² or more but less than 27 000m² 27 000m² or more but less than 26 000m² 54 000m² or more  6.1.a & b meat processing works  production rate > 100 tonnes of meat products per year production rate > 200 tonnes of poultry products per year together with rendering works producing 100 megalitres or more wastewater per year    where all wastewater is discharged to a sewer or offsite licensed wastewater treatment works or discharged in accordance with an effective prescribed environmental measure - refer to NOTE below together with rendering works producing 100 megalitres or more of wastewater per year   where all wastewater is discharged to a sewer or offsite licensed wastewater treatment works   where all wastewater is discharged in accordance with an effective prescribed environmental measure - refer to NOTE below to associated with a rendering works producing less than 100 megalitres or more of wastewater freatment works   where all wastewater is discharged in accordance with an effective prescribed environmental measure - refer to NOTE below to associated with a rendering works producing less than 100 megalitres of wastewater freatment works   where all wastewater is discharged in accordance with an effective prescribed environmental measure - refer to NOTE below to associated with a rendering works producing less than 100 megalitres of wastewater per year   where all wastewater is discharged in accordance with an effective prescribed envir	5.4	piggeries	> 6500 SPUs at any one time or > 650 SPUs in a Water Protection Area	
of nitrogen production more than 50 000 kilograms but not more than 100 000 kilograms per year of nitrogen production more than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  If nitrogen production from piggeries is not measured, the recommended correlation is 10 kilograms of nitrogen produced per year per standard pig unit (SPU).  5.5 poultry farm comprising a broiler farm  Where poultry shed/structure total area exceeds: 13 500m² or more but less than 27 000m² 54 000m² or more but less than 54 000m² 54 000m² or more  Production rate > 100 tonnes of meat products per year production rate > 200 tonnes of poultry products per year where all wastewater per year where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works or discharged in accordance with an effective prescribed environmental measure – refer to NOTE below together with rendering works producing 100 megalitres of wastewater per year where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works wastewater per year where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works wastewater per year where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres of wastewater per year  Where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres of wastewater per year  Wear In a more production and presse level at 99% less than that of untreated wastewater less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period) The level to to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached docum				12
more than 50 000 kilograms but not more than 100 000 kilograms per year of nitrogen production more than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  If nitrogen production from piggeries is not measured, the recommended correlation is 10 kilograms of nitrogen produced per year per standard pig unit (SPU).  5.5 poultry farm comprising a broiler farm where poultry shed/structure total area exceeds: 13 500m² or more but less than 27 000m² 27 000m² or more but less than 54 000m² 54 000m² or more  6.1.a & b meat processing works production rate > 100 tonnes of meat products per year production rate > 200 tonnes of poultry products per year production rate > 200 tonnes of poultry products per year with rendering works producing 100 megalitres or more wastewater per year where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works or discharged in accordance with an effective prescribed environmental measure - refer to NOTE below together with rendering works producing 100 megalitres or more of wastewater per year where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works where all wastewater is discharged in accordance with an effective prescribed environmental measure - refer to NOTE below not associated with a rendering works producing less than 100 megalitres or wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are: less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period) an oil and grease level at 99% less than that of untreated wastewater: less than 50 milligrams per litre of suspended solids (averaged over the licence period) The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.				ar 8
more than 20 000 kilograms but not more than 50 000 kilograms per year of nitrogen production  If nitrogen production from piggeries is not measured, the recommended correlation is 10 kilograms of nitrogen produced per year per standard pig unit (SPU).  5.5 poultry farm comprising a broiler farm where poultry shed/structure total area exceeds:  13 500m² or more but less than 27 000m²  27 000m² or more but less than 54 000m²  54 000m² or more  6.1.a & b meat processing works production rate > 200 tonnes of poultry products per year production rate > 200 tonnes of poultry products per year usatewater per year  where all wastewater is discharged to a sewer or offsite licensed wastewater per year of wastewater per year on tassociated with a rendering works producing less than 100 megalitres of wastewater per year where all wastewater is discharged to a sewer or offsite licensed wastewater per year on tassociated with a rendering works producing 100 megalitres of wastewater per year where all wastewater is discharged to a sewer or offsite licensed wastewater per year on tassociated with a rendering works producing 100 megalitres of wastewater per year where all wastewater is discharged to a sewer or offsite licensed wastewater treatment works  where all wastewater is discharged to a sewer or offsite licensed wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are:  less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period)  The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.			more than 50 000 kilograms but not more than 100 000 kilograms per year	r 4
20 000 kilograms per year or less of nitrogen production   If nitrogen production from piggeries is not measured, the recommended correlation is 10 kilograms of nitrogen produced per year per standard pig unit (SPU).    5.5				
If nitrogen production from piggeries is not measured, the recommended correlation is 10 kilograms of nitrogen produced per year per standard pig unit (SPU).  5.5 poultry farm comprising a broiler farm 13 500m² or more but less than 27 000m²  27 000m² or more but less than 54 000m²  54 000m² or more  6.1.a & b meat processing works production rate > 100 tonnes of meat products per year production rate > 200 tonnes of poultry products per year together with rendering works producing 100 megalitres or more wastewater per year where all wastewater is discharged to a sewer or offsite licensed wastewater per year not associated with a rendering works producing 100 megalitres or more of wastewater per year not associated with a rendering works producing 100 megalitres or more of wastewater per year not associated with a rendering works producing 100 megalitres or more of wastewater per year where all wastewater is discharged to a sewer or offsite licensed wastenwater treatment works where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres or where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres or where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres or where all wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are:  • less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period)  The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes No If Yes, provide reasons here (including how your operation m				3
produced per year per standard pig unit (SPU).    5.5				2
a broiler farm  13 500m² or more but less than 27 000m²  27 000m² or more but less than 54 000m²  54 000m² or more  6.1.a & b meat processing works  production rate > 100 tonnes of meat products per year production rate > 200 tonnes of poultry products per year together with rendering works producing 100 megalitres or more wastewater per year  where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works or discharged in accordance with an effective prescribed environmental measure — refer to NOTE below together with rendering works producing less than 100 megalitres of wastewater per year not associated with a rendering works producing 100 megalitres or more of wastewater per year where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works where all wastewater is discharged in accordance with an effective prescribed environmental measure — refer to NOTE below not associated with a rendering works producing less than 100 megalitres of wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are: less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period) an oil and grease level at 99% less than that of untreated wastewater less than 50 milligrams per litre of suspended solids (averaged over the licence period) The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes  No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.				
27 000m² or more but less than 54 000m²  54 000m² or more  6.1.a & b meat processing works  production rate > 100 tonnes of meat products per year production rate > 200 tonnes of poultry products per year  together with rendering works producing 100 megalitres or more wastewater per year  where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works or discharged in accordance with an effective prescribed environmental measure – refer to NOTE below together with rendering works producing less than 100 megalitres of wastewater per year  on tassociated with a rendering works producing 100 megalitres or more of wastewater per year  where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works  where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works  where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below of wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are:  • less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period)  • an oil and grease level at 99% less than that of untreated wastewater  • less than 50 milligrams per litre of suspended solids (averaged over the licence period)  The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.	5.5			
6.1.a & b meat processing works  production rate > 100 tonnes of meat products per year production rate > 200 tonnes of poultry products per year  together with rendering works producing 100 megalitres or more wastewater per year  where all wastewater is discharged to a sewer or offsite licensed wastewater treatment works or discharged in accordance with an effective prescribed environmental measure – refer to NOTE below together with rendering works producing less than 100 megalitres of wastewater per year  not associated with a rendering works producing 100 megalitres or more of wastewater per year  where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works  where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works  where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres of wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are:  less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period)  an oil and grease level at 99% less than that of untreated wastewater  less than 50 milligrams per litre of suspended solids (averaged over the licence period)  The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes  No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.		a broiler farm		2
production rate > 100 tonnes of meat products per year production rate > 200 tonnes of poultry products per year together with rendering works producing 100 megalitres or more wastewater per year where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works or discharged in accordance with an effective prescribed environmental measure – refer to NOTE below together with rendering works producing less than 100 megalitres or more of wastewater per year not associated with a rendering works producing 100 megalitres or more of wastewater per year where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres of wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are: less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period) an oil and grease level at 99% less than that of untreated wastewater less than 50 milligrams per litre of suspended solids (averaged over the licence period) The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.				3
together with rendering works producing 100 megalitres or more wastewater per year  where all wastewater is discharged to a sewer or offsite licensed wastewater with rendering works producing less than 100 megalitres of wastewater per year  offective prescribed environmental measure – refer to NOTE below together with rendering works producing less than 100 megalitres of wastewater per year  not associated with a rendering works producing 100 megalitres or more of wastewater per year  where all wastewater is discharged to a sewer or offsite licensed wastervater treatment works  where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres of wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are:  less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period)  an oil and grease level at 99% less than that of untreated wastewater  less than 50 milligrams per litre of suspended solids (averaged over the licence period)  The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes  No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.			54 000m² or more	4
wastewater per year  where all wastewater is discharged to a sewer or offsite licensed wastervater treatment works or discharged in accordance with an effective prescribed environmental measure – refer to NOTE below together with rendering works producing less than 100 megalitres of wastewater per year  not associated with a rendering works producing 100 megalitres or more of wastewater per year  where all wastewater is discharged to a sewer or offsite licensed wastervater treatment works  where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres of wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule.  The levels to be achieved are:  less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period)  an oil and grease level at 99% less than that of untreated wastewater  less than 50 milligrams per litre of suspended solids (averaged over the licence period)  The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes  No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.	6.1.a & b	meat processing works		
wasterwater treatment works or discharged in accordance with an effective prescribed environmental measure – refer to NOTE below together with rendering works producing less than 100 megalitres of wastewater per year  not associated with a rendering works producing 100 megalitres or more of wastewater per year  where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works  where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres of wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are:  less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period)  an oil and grease level at 99% less than that of untreated wastewater  less than 50 milligrams per litre of suspended solids (averaged over the licence period)  The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes  No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.				20
together with rendering works producing less than 100 megalitres of wastewater per year not associated with a rendering works producing 100 megalitres or more of wastewater per year where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres of wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are: less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period) an oil and grease level at 99% less than that of untreated wastewater less than 50 milligrams per litre of suspended solids (averaged over the licence period) The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.			wasterwater treatment works or discharged in accordance with an	12 <b>w</b>
not associated with a rendering works producing 100 megalitres or more of wastewater per year  where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works  where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres of wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are:  less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period)  an oil and grease level at 99% less than that of untreated wastewater  less than 50 milligrams per litre of suspended solids (averaged over the licence period)  The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes  No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.			together with rendering works producing less than 100 megalitres of	12
where all wastewater is discharged to a sewer or offsite licensed wasterwater treatment works where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres of wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are: less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period) an oil and grease level at 99% less than that of untreated wastewater less than 50 milligrams per litre of suspended solids (averaged over the licence period) The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes  No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.			not associated with a rendering works producing 100 megalitres or more	8
where all wastewater is discharged in accordance with an effective prescribed environmental measure – refer to NOTE below not associated with a rendering works producing less than 100 megalitres of wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are:  I less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period)  an oil and grease level at 99% less than that of untreated wastewater  I less than 50 milligrams per litre of suspended solids (averaged over the licence period)  The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes  No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.			where all wastewater is discharged to a sewer or offsite licensed	3
of wastewater per year  Meat processing works that achieve the following specified limits may move down a fee level in the schedule. The levels to be achieved are: • less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period) • an oil and grease level at 99% less than that of untreated wastewater • less than 50 milligrams per litre of suspended solids (averaged over the licence period) The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?  Yes  No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.			where all wastewater is discharged in accordance with an	<b>w</b>
The levels to be achieved are:  • less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period)  • an oil and grease level at 99% less than that of untreated wastewater  • less than 50 milligrams per litre of suspended solids (averaged over the licence period)  The level reductions are 20 to 12, and 8 to 4 as indicated above. <b>Do you wish to apply for this fee reduction?</b> Yes  No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.				3
<ul> <li>less than 100 milligrams per litre of BOD or biochemical oxygen demand (averaged over the licence period)</li> <li>an oil and grease level at 99% less than that of untreated wastewater</li> <li>less than 50 milligrams per litre of suspended solids (averaged over the licence period)</li> <li>The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?</li> <li>Yes</li> <li>No</li> <li>If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.</li> </ul>			following specified limits may move down a fee level in the schedule.	
<ul> <li>less than 50 milligrams per litre of suspended solids (averaged over the licence period)</li> <li>The level reductions are 20 to 12, and 8 to 4 as indicated above. Do you wish to apply for this fee reduction?</li> <li>Yes</li> <li>No</li> <li>If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.</li> </ul>	<ul> <li>less than</li> </ul>	100 milligrams per litre of BO		
Yes No If Yes, provide reasons here (including how your operation meets the criteria) or as an attached document.				
	The level i	reductions are 20 to 12, and 8	to 4 as indicated above. Do you wish to apply for this fee reduction?	

Regula refere		Prescribed activity	Characteristics Fee units page	yable
6.5	2	breweries	production capacity > 5000 litres of beer per day	
			20 megalitres or more of wastewater produced per year, not to sewer or other offsite licensed wastewater treatment works	20
			less than 20 megalitres wastewater, not to sewer or other offsite licensed wastewater treatment works	4
			all wastewater disposed to sewer or other offsite licensed wastewater treatment works	3
6.	4	fish processing works	works disposing of wastewater to land (and not to marine or inland waters) during the licence period	4
			works disposing, during the licence period, of all wastewater to a sewer or other offsite treatment works that are licensed or carried on under a licence or works not disposing of wastewater at all during the licence period	3
6.	5	milk processing works	processing rate > 5 million litres per year	
			all wastewater not discharged to sewer or other offsite licensed wastewater treatment works	12
			all wastewater discharged to sewer or other offsite licensed wastewater treatment works	8
6.	6.a	produce processing works – deep fat frying, roasting or drying	processing capacity > 30 kilograms per hour	4
<u>6.</u>	6.b	produce processing works –	olive processing	12
		more than 10 000 000 litres of wastewater (not to sewer or Community Wastewater	other than olive processing	8
		Management System [CWMS])		
6.	7	rendering or fat extraction works	processing capacity > 250 kilograms per hour  100 megalitres or more of wastewater produced per year	20
			where all wastewater is discharged to a sewer or other offsite licensed wastewater treatment works	12
			less than 100 megalitres of wastewater produced per year	12
•  - • a •  -	ess than a 99% or ess than	n 100 milligrams per litre of BOD (b more reduction in oil and grease le n 50 milligrams per litre of suspend	vel led solids	
Th			s as indicated above Do you wish to apply for this fee reduction?	
Ac	) Yes dditional		here (including how your operation meets the criteria) or as an attached docume at the EPA website: epa.sa.gov.au/business_and_industry/licence_fee_system	nt.
_				
				_ 
6.	8	curing or drying works	processing capacity > 250 kilograms per hour	3
<b>6.</b> 9	9	tanneries or fellmongeries	processing > 5 tonnes per year of skins or hides	40
			volume of wastewater greater than 10 megalitres per year volume of wastewater 10 megalitres or less per year <b>or</b> all wastewater discharged to sewer or other offsite licensed wastewater treatment works	12
6.	10	wool scouring or wool carbonising works	wastewater not discharged to sewer or other offsite licensed wastewater treatment works	8
			wastewater discharged to sewer or other offsite licensed wastewater	3

Regulation reference	Prescribed activity	Characteristics Fee units	s payable
6.11.a	wineries or distilleries not in Mount Lofty Ranges Water Protection Area	processing > 500 tonnes per year of grapes  more than 60 megalitres of wastewater produced per year  (not to sewer or other offsite licensed wastewater treatment works)	50
		more than 20 megalitres but no more than 60 megalitres of wastewater produced per year (not to sewer or other offsite licensed wastewater treatment works)	20
		20 megalitres or less of wastewater produced per year (not to sewer or other offsite licensed wastewater treatment works)	4
		all wastewater discharged to sewer or other offsite licensed wastewater treatment works	3
in the sch • less thar • less thar • more that The level Yes	edule. The levels to be achieved in 100 mg/l BOD in 50 mg/l suspended solids an 50% reduction of EC (electrical reductions are 50 to 20, 20 to 12 in No in 1988, provide reasonable.	al conductivity) or TDS (total dissolved solids) load. and 4 to 3 fee units. <b>Do you wish to apply for this fee reduction?</b> as here (including how your operation meets the criteria) or as an attached doc	ument.
Additional	THOMATION ADOUT IEES IS AVAIIAI	ole at the EPA website: epa.sa.gov.au/business_and_industry/licence_fee_system	
6.11.b	wineries or distilleries in Mount Lofty Ranges Water	processing > 50 tonnes per year of grapes  more than 60 megalitres of wastewater produced per year	50
	Protection Area	more than 10 megalitres but no more than 60 megalitres of wastewater produced per year (not to sewer or other offsite licensed wastewater treatment works)	
		10 megalitres or less of wastewater produced per year (not to sewer or other offsite licensed wastewater treatment works)	8
		all wastewater disposed to sewer or other offsite licensed wastewater treatment works	4
in the sch • less thar • less thar	edule. The levels to be achieved n 100 mg/l BOD n 50 mg/l suspended solids	D, suspended solids and salt by treatment (excluding dilution) may move down are:	a fee level
	reductions are 50 to 20, 20 to 12	wer that that of the untreated wastewater. and 8 to 4 fee units. <b>Do you wish to apply for this fee reduction?</b>	
( ) Yes Additional		ns here (including how your operation meets the criteria) or as an attached doc ble at the EPA website: epa.sa.gov.au/business_and_industry/licence_fee_system	
7.1	bulk shipping facilities	materials are handled at a rate > 100 tonnes per day	8
7.2	railway operations		8
7.3.a	crushing, grinding or milling  – chemicals or rubber	processing rate > 100 tonnes per day	4

Regulation reference	Prescribed activity	Characteristics Fee units pay	yable
7.3.b	crushing, grinding or milling – agricultural crop products	processing rate > 500 tonnes per day olive processing (whether or not mobile) where all wastewater is discharged to a sewer or other offsite licensed waste water reatment works	12
		mobile (other than olive processing)	8
		other (i.e. not mobile and not olive processing)	4
7.3.c	crushing, grinding or milling – rock ores or minerals	processing rate > 1000 tonnes per year	4
7.4	dredging	state the total number of days of dredging for the past 12 months 1 fee unit pe (to be assessed with submitted register)	r day
7.5	coal handling and storage	holding capacity > 100 tonnes per day or storage capacity > 5000 tonnes	3
7.6	earthworks drainage	discharge of > 100 kilolitres of wastewater containing > 25 milligrams of suspended solids per litre. State the number of days of earthworks for the past 12 months. (to be assessed with submitted register)	r day
7.7	extractive industries	production > 100 000 tonnes per year	
		within the Mount Lofty Ranges Water Protection Area	4
		in any other area	3
8.1	aerodromes	> 20 000 flight movements per year	3
8.2.a.i	fuel burning coal or timber	heat release rate > 5 megawatts	
		located within Adelaide airshed with emissions of 500 tonnes or more per year of nitrogen oxides	80
		located within Adelaide airshed with emissions of 30 tonnes or more but less than 500 tonnes per year of nitrogen oxides	50
		located within Adelaide airshed with emissions below 30 tonnes per year of nitrogen oxides	12
		located outside Adelaide airshed with nitrogen oxide emissions of 500 tonnes or more per year	50
		located outside Adelaide airshed with emissions of 30 tonnes or more but less than 500 tonnes per year of nitrogen oxides	12
		located outside Adelaide airshed with emissions below 30 tonnes per year of nitrogen oxides	4
8.2.a.ii	fuel burning not coal or timber	heat release rate > 5 megawatts	
		located within Adelaide airshed with emissions of 500 tonnes or more per year of nitrogen oxides	50
		located within Adelaide airshed with emissions of 30 tonnes or more but less than 500 tonnes per year of nitrogen oxides	20
		located within Adelaide airshed with emissions below 30 tonnes per year of nitrogen oxides	8
		located outside Adelaide airshed with emissions of 500 tonnes or more per year of nitrogen oxides	20
		located outside Adelaide airshed with emissions of 30 tonnes or more but less than 500 tonnes per year of nitrogen oxides	8
		located outside Adelaide airshed with emissions below 30 tonnes per year of nitrogen oxides	3
		internal combustion engines using diesel for less than 25 hours per year	1
8.2.b	fuel burning – stove enamel or baking or drying materials	heat release rate > 500 kilowatts	3
8.3	helicopter landing facilities		1

_	ulation rence	Prescribed activity	Characteristics	Fee units payable
	8.4	marinas and boating facilities	storage for ≥ 50 powered vessels  providing moorings or dry storage for vessels  capacity to handle 5 or more vessels or vessels of 12 metres or n  providing repair and maintenance facilities	2 nore in length 3
	8.5	motor racing or testing venues	< 200 metres from residential properties	3
$\stackrel{\smile}{=}$	8.6	shooting ranges	< 200 metres from residential properties	1
$\frac{\circ}{\bigcirc}$	8.6.a.i	desalination plants discharging	for discharges > 2 megalitres but ≤ 1000 megalitres per year	- 5
		wastewater to marine environment		
			for discharges > 10 000 megalitres per year	30
$\overline{\bigcirc}$	8.6.a.ii	desalination plants discharging	for discharges > 2 megalitres but ≤ 50 megalitres per year	4
		to a wastewater lagoon	for discharges > 50 megalitres but ≤ 500 megalitres per year	. 6
			for discharges > 500 megalitres per year	12
	for to (C) if the For clarific The level region Yes	the lagoon. The level reductions are licensee satisfies the EPA of the sation of Prescribed Environmental reductions are 4 to 3, 6 to 5 and 12 No If Yes, provide evidence	existence of effective class 2 and 3 prescribed environmental mea e 4 to 2, 6 to 4 and 12 to 10 fee units.  existence of an effective class 1 prescribed environmental measure. It is a measures refer to the Environment Protection Regulations 2023, 32 to 11 fee units. Do you wish to apply for this fee reduction? The environment is the criteria, or as an a state the EPA website: epa.sa.gov.au/business_and_industry/licences/licenters.	re for the lagoon. Schedule 2, 8(2)(h) ttached document.
	8.6.a.iii	desalination plants discharging to inland waters or land (other than to a wastewater lagoon)	for discharges > 2 megalitres but ≤ 50 megalitres per year  for discharges > 50 megalitres but ≤ 500 megalitres per year  for discharges > 500 megalitres per year	4 6 12
	they can d • If the lice For clarific	emonstrate that they meet the following ensee satisfies the EPA of the exist eation of Prescribed Environmental	than to a wastewater lagoon may move down to one of the fee level owing fee reduction criteria: ence of an effective class 4 prescribed environmental measure for a Measures refer to the Environment Protection Regulations 2023, 32 to 11 fee units. Do you wish to apply for this fee reduction?	the discharge.
	Yes	No If Yes, provide evidence	e here (including how your operation meets the criteria), or as an a e at the EPA website: epa.sa.gov.au/business_and_industry/licences/	
	8.7	discharges to marine or inland waters (heat, antibiotic or	discharges of 100 megalitres per year or more discharges of more than 10 megalitres per year but less than 100 megalitres per year	20
		chemical water treatment)	discharges of less than 10 megalitres per year	4
	8.8	cremation or incineration of huma	an or animal remains	2

Regulation reference	Prescribed activity	Characteristics Fee units page	yabl
8.9.a	pumped hydroelectricity works in a water protection area	n output capacity > 30MW  Category 1 –1200 milligrams of TDS per litre or more with acid rock drainage  Category 2 – less than 1200 milligrams of TDS per litre with acid rock drainage  Other – 1200 milligrams of TDS per litre or more and no acid rock drainage  Other – less than 1200 milligrams of TDS per litre and no acid rock drainage	3 e 3 2
	hydroelectricity works or facilities the ervoir system may move down to co. 37 to 26, 34 to 23, 26 to 15, ar	hat can demonstrate they have approved lining and leak detection systems for the one of the fee levels shown here:	
	hydroelectricity works or facilities the ervoir system may move down to constant to 12 fee units		-
	vish to apply for this fee reduction		
Yes Additiona		s here (including how your operation meets the criteria), or as an attached docume e at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_systems.	
			<u> </u>
			_ _
			_ _
8.9.b	pumped hydroelectricity works	output capacity > 30MW	
0.3.0	outside a water protection area	Category 1 –1200 milligrams of TDS per litre or more with acid rock drainage  Category 2 – less than 1200 milligrams of TDS per litre with acid rock drainage  Other – 1200 milligrams of TDS per litre or more and no acid rock drainage  Other – less than 1200 milligrams of TDS per litre and no acid rock drainage	34 le 31 23
		hat can demonstrate they have approved lining and leak detection systems for in to one of the fee levels shown here:	_
		hat can demonstrate they do not require lining and leak detection systems for in to one of the fee levels shown here:	
Do you v	vish to apply for this fee reduction	on?	
Yes Additiona		s here (including how your operation meets the criteria), or as an attached docume e at the EPA website: epa.sa.gov.au/business_and_industry/licences/licence_fee_systems.	
			_
			_ _
			_ _
			_ _
			_

1. Load Fees for Non-NPI substances

### Part C: Resource Efficiency Fee (load & water reuse)

#### **PREAMBLE**

The Resource Efficiency Fee (REF) is payable if you emit certain pollutants above a threshold level. The REF has two parts.

The REF is payable in arrears, i.e. you pay the fee for pollutants emitted in the preceding reporting period.

The EPA can calculate most load fees automatically from your National Pollutant Inventory (NPI) data or if you prefer, you may supply new data on the form below.

If you exceed emission thresholds for water reuse fees and emissions to water of heat, suspended solids and organic matter
(measured as biochemical oxygen demand), you will need to provide the EPA with the information requested below.

Non-NPI Pollutant – Water	Emission Threshold	Your Emmission Level	
Salt – desalination plant only Fee calculation of pollutant load-based components for salt and other pollutants from desalination plants refer to Regulation 29(4)	> 75 000 tonnes/yr to marine waters Any salt discharged into any other waters a background concentration of salt of 13 0 dissolved solids per litre or less.		
Heat	10 MW (megawatts)/yr	MW	
Suspended solids	> 1000 kg/yr	kg	
Organic matter	> 1000 kg/yr	kg	
2. Water Reuse Fees			
Pollutant – Water	Emission Threshold	Your Emmission Level	
Low Salinity Water*	where more than 10 megalitres of water is discharged to the marine environment in a concentration of < 1500 mg/l	ML 1	
3. Does the nature of your operations require you to rep	ort air or water pollutant levels to the NPI	?	
If Yes, do you consent to the EPA using the NPI data to calculate your resource efficiency fees?			
Yes No If No, provide your emission details	and emission levels below.		

#### 4. Load Fees for NPI substances

Pollutant - Air

**Emission Threshold** 

**Your Emmission Level** 

Sulphur dioxide	> 10 000 kg/yr	kg
Nitrogen oxides	> 10 000 kg/yr	kg
Particulates *	> 1000 kg/yr	kg
Volatile organic compounds *	> 1000 kg/yr	kg
Lead to air	> 100 kg/yr	kg
Pollutant - Water	<b>Emission Threshold</b>	Your Emmission Level
Nitrogen *	> 1000 kg/yr	kg
Nitrogen *  Phosphorous *	> 1000 kg/yr > 1000 kg/yr	kg kg
<u> </u>		
Phosphorous *	> 1000 kg/yr	kg

Further information relating to the licence fee structure is available at: epa.sa.gov.au/business\_and\_industry/licences/licence\_fee\_system

For clarification or further information regarding NPI and REF impacts, contact the South Australian NPI team on (08) 8204 9095 or email npi@sa.gov.au

There are some REF pollutants that have a lower threshold than NPI reporting requirements. If you fall below NPI reporting levels, but exceed these thresholds then the data for these substances must be provided.

#### **DECLARATION**

If the applicant is:

- 1. A company, body corporate or proprietary company the following must sign this declaration:
  - a director and/or the company secretary and/or a person appointed as a responsible officer.
- 2. A natural person(s):
  - each person or a person legally authorised by the applicant must sign this declaration.
- 3. A statutory body:
  - a person whom the Minister has authorised must sign this declaration.
- 4. An incorporated association:
  - a person(s) who is authorised under the rules of that association.

For government departments that do not involve a statutory body, the Minister or a person whom the Minister has authorised must sign this declaration. For joint applications, all parties must sign this declaration.

I/we hereby declare that the information provided in this application and accompanying documents, to the best of my/our knowledge, is true and correct.

a. <u>N</u>	Name
	Signature
_	nginature
<u> </u>	Position of signatory
	Date Control of the C
b. N	Name
- <u>-</u>	
5	Signature
F	Position of signatory
	Date Control of the C
c. N	Name
_	
5	Signature
F	Position of signatory
_	<del></del>
	Date Control of the C

Note that a maximum penalty of up to \$60 000 applies for providing false or misleading information.



South Australia

The Licensing Team
Environment Protection Authority
GPO Box 2607 ADELAIDE SA 5001

Freecall (outside metro): 1800 623 445

Tel: (08) 8204 2058

Email: epalicensing@sa.gov.au Website: www.epa.sa.gov.au