


2.1.2 Sulfur dioxide

- The 1-hour NEPM Standard for sulfur dioxide was exceeded on **1** occasion at Pt Pirie in this month.
- Total NEPM Exceedence days for 2014

Oliver St: **1**

- This is equals the NEPM Goal of once per year.

Pt Pirie 1 Hr Daily Maxima SO2 January 2014




- The 24-hour NEPM Standard for sulfur dioxide was exceeded on 0 occasions at Pt Pirie in this month.
- Total NEPM Exceedence days for 2014

Oliver St: **0**

- This is less than the NEPM Goal of once per year.

Pt Pirie Daily Average SO2 - January 2014




2.1.3 Particles (PM₁₀)

- The 24-hour NEPM Standard for PM₁₀ particles was exceeded on **3** occasions at The Terrace this month. The EPA operates a station on behalf of Dept of Health (The Terrace). The instrument at Oliver St was removed for service this month.
- Total NEPM Exceedence days for 2014

Oliver St:	0
The Terrace ² :	3
- This is less than the NEPM Goal of 5 per year.

Pt Pirie Daily Average PM10 - January 2014



2.2 Whyalla

In Whyalla the major impacts on air quality are particle emissions from the local steelworks. Windblown dust and particles from other natural sources are other factors that affect air quality in Whyalla. Monitoring is undertaken at 2 sites in Whyalla; Schulz Reserve and Walls St. Schulz Reserve reports against the Air NEPM with Walls St monitoring industry licence conditions in conjunction with Schulz Reserve.

2.2.1 Particles (PM₁₀)


- The 24-hour NEPM Standard (PM₁₀) was exceeded on **1** occasion at Walls St this month.
- Total NEPM Exceedence days for 2014

Walls St ³ :	1
Schulz Reserve:	0
- This is less than the NEPM Goal of 5 per year for Schulz Reserve.

² The number provided here is for information/comparison purposes only and does not contribute to the NEPM assessment of the air quality of the region.

³ The number provided here is for information/comparison purposes only and does not contribute to the NEPM assessment of the air quality of the region.

Whyalla Daily Average PM10 - January 2014



Further information

Legislation

[Online legislation](#) is freely available. Copies of legislation are available for purchase from:

Service SA Government Legislation Outlet
 Adelaide Service SA Centre
 108 North Terrace
 Adelaide SA 5000

Telephone: 13 23 24
 Facsimile: (08) 8204 1909
 Website: <shop.service.sa.gov.au>
 Email: <ServiceSAcustomerservice@sa.gov.au>

General information

Environment Protection Authority
 GPO Box 2607
 Adelaide SA 5001

Telephone: (08) 8204 2004
 Facsimile: (08) 8124 4670
 Freecall: 1800 623 445 (country)
 Website: <www.epa.sa.gov.au>
 Email: <epainfo@epa.sa.gov.au>